

**Form – IV**  
**(See rule 13)**  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	JUNYA YAMANISHI
	(ii) Name of HCF or CBMWTF	:	M/S SML Isuzu Ltd.
	(iii) Address for Correspondence	:	Vill. Asron, S.B.S. Nagar
	(iv) Address of Facility	:	Vill. Asron, S.B.S. Nagar
	(v) Tel. No, Fax. No	:	01881-270259
	(vi) E-mail ID	:	
	(vii) URL of Website	:	
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: ..... BMW/Renewal/RPN/2021/15263322..... ..... Valid upto: <u>perpetuity</u> .....
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto: 31.03.2025
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: <u>NA</u>
	(ii) Non-bedded hospital	:	✓
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	
3	Details of CBMWTF	:	NA
	(i) Number of health care facilities covered by CBMWTF	:	—
	(ii) No. of Beds covered by CBMWTF	:	—
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	<u>NA</u> Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	<u>NA</u> Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	<i>Yellow Category:</i> 12.187 Kg/ANNUM <i>Red Category:</i> 4.478 KG/ANNUM <i>White:</i> Nil <i>Blue Category:</i> .414 Kg/ANNUM <i>General Solid Waste:</i>
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility		
	(i) Details of the on-site storage	:	Size: Yellow Bin: 10/10" Red Bin 10/10" Blue Bin:

	facility		Capacity: Yellow Bin: 6 kg Red Bin 6 kg Blue Bin:			
			Provision of on-site storage : (Cold storage or any other provision)			
	(ii) Disposal facilities		<b>Type of treatment equipment</b>	<b>No of Units</b>	<b>Capacity Kg/day</b>	<b>Quantity Treated or disposed in kg per annum</b>
			Incinerators	Collected and treated	at	CBMWTF
			Plasma Pyrolysis			
			Autoclaves			
			Microwave			
			Hydroclave			
			Shredder			
			Needle tip cutter or destroyer			
			Sharps			
			Encapsulation or concrete pit			
			Deep burial pits			
			Chemical disinfection:			
			Any other treatment equipment:			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.) NIL			
	(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	NA			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			<b>Quantity Generated</b>	<b>Where disposed</b>	
			Incineration	—	—	
			Ash	—	—	
			ETP Sludge	—	—	
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		M/s Bio Medical Waste Treatment Plant Pvt. Ltd. Distt. Pathankot.			
	(vii) List of member HCF not handed over bio-medical waste.		NA			
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		NA			

7	Details trainings conducted on BMW		NA
	(i) Number of trainings conducted on BMW Management		
	(ii) Number of personnel trained		
	(iii) Number of personnel trained at the time of induction		
	(iv) Number of personnel not undergone any training so far		
	(v) Whether standard manual for training is available?		
8	Details of the accident occurred during the year		NIL
	(i) Number of Accidents occurred		NIL
	(ii) Number of persons affected		NIL
	(iii) Remedial Action taken (Please attach details if any)		NA
	(iv) Any Fatality occurred, details		NIL
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		NA
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator)	NA

Certified that the above report is for the period from

01.01.2023 to 31.12.2023

.....  
 .....  
 .....  
 .....

Name and Signature of the Head of the Institution

Date: 30.05.2024

Place: ASRON


